### The Early Ford V-8 Club of America Judging Form – Instructions for Vehicle Owners

The National Chief Judge has prepared these instructions to aid you in getting your vehicle judged and to point out the rules and procedures.

Please remove this page from the judging form before judging starts.

- 1) You must be a member in good standing of the national club as evidenced by your membership card or listing in the roster.
- 2) Please be sure that you have the correct set of judging forms, blue for 32 -48's or yellow for 49 -53's.
- 3) Circle the judging division; fill in or verify the information on your vehicle, registration #, and your name and address on page 1. Also put the registration # on all 5 pages of the form.
- 4) Fill in or check the accuracy of the information on the windshield card. (Check to see that you have the correct card.)
- 5) Your vehicle must be taken through the operational check. Be sure to bring the judging forms and windshield card with the vehicle to the operational check.
- 6) Once on the concourse

Be sure that the judging form is on the front seat Place the fire extinguisher by the left front tire Place your windshield card in or on the windshield Close all but one door window, or install side curtains on one side (Display side curtain pouch) Convertible top must be up (Display top boot) Display tools Key should be in the ignition

- 7) The owner or designated representative shall be present while the vehicle is being judged to answer judge's questions, open doors, trunk, cowl vent, etc. If the owner or representative is not available these will be operated by the Deputy Judge.
- 8) If you plan to enter a vehicle with any part or color that is unusual or not generally accepted; you must be able to prove authenticity by a factory letter, sales brochure, or other document.
- 9) After the vehicle is judged, the Deputy Judge will go over the results with you; you will be asked to sign the form. If you don't agree with the judges on a particular point, arbitration is available, contact the Meet Concourse Coordinator.

## 10) For safety and enjoyment of all participants, your vehicle is to remain on the concourse until the Meet Coordinator releases all the vehicles. Early removal may result in forfeit of any award.

11) There shall be-

No "For Sale" signs on the vehicle No signs or pictures displayed with the vehicle No trophies displayed with the vehicle No stanchions or ropes around the vehicle

If you have any comments or suggestions on the judging process, please contact the National Chief Judge or Chairman of the Judging Standards Committee. Thanks.

SCORE SUMMARY	Deductions	1932 - 48 Judging Form	Registration #	
Exterior >				
Interior >		Sond .	N	Jame
Engine >		S VOI S		
Chassis >			Ad	ldress
Operational & Safety >				
Total Deductions >		AMERICA	City, S	State, ZIP
Perfect Score >	1000			
Less Total Deductions>		<b>Concourse Division</b> – (Circle one)	Phone	Cell Phone
Net Score >		Dearborn Division Dearborn Walk-around	Start Time:	
If webiate week wieweller in	daad (a malle	Dearborn wark-around	Einiah Timor	
If vehicle was visually ju around) write "WA" in t		Year Make	Finish Time:	
		Body Style		
Award:		Color Black	Deputy Jud	ge's Signature

Owner's Signature

Owners Please Note - if you and the deputy judge **do not agree** on the deductions **you may ask** to have the Meet Judging Chairman and/or National Chief Judge review them before signing this form. ONCE YOU HAVE SIGNED THE FORM, THE SCORE IS FINAL.

Judge each component for AUTHENTICITY, CONDITION, and FIT, as appropriate.

**AUTHENTICITY** - ("Like Henry Made It"): Must be original, new old stock, restored, or reproduced. If restored or reproduced, it must duplicate the original, as near as possible, in appearance, form, fit, function, color, texture, etc.

**CONDITION** - ("Like New"): Must be the correct type and color of finish, no excessive runs, orange peel, rust, or scratches. Plating must be of the authentic type for components which are plated. All parts of the vehicle must be well maintained.

**FIT** - ("How It Goes Together"): Check for proper alignment and straightness of all components and the vehicle as a whole.

OPERATIONAL CHECK				
	Mandatory Deduction	Points Deducted	Remarks/Reasons for Deductions	
"2.5 Pound Minimum" No Fire Extinguisher	- 1000			
Fiberglass Body	- 1000		<b>A</b> .	
Not Driven Onto Concourse	- 1000			
Fiberglass Fenders or Exterior Panels (Each)	- 100			
Exterior Lights Not Working	- 2			
(per bulb, including turn signals, when installed)	(14 max.)		$\langle \rangle$	
Interior Lights, Including Instrument Lights Not Working	- 1			
(per bulb)	(6 max.)			
Brake Lights Inoperative	- 25		<u> </u>	
Emergency Brake Not Working	- 10	(		
Horn Inoperative	- 3	A	D'	
Windshield Wiper Inoperative	- 3			
(CAUTION: DO NOT operate on dry glass!				
Owner's word is fine.)				
TOTAL DI	EDUCTIONS			



### '32 – '48 Exterior Judging Form The Early Ford V-8 Club of America

Registration # \_\_\_\_\_

COMPONENT	Standard Deduction Points: Circle If Appropriate	Max. Deduct.	Points Deduct.	Reasons for Deduction & Remarks
PAINT* Color	16 - Wrong Color 5 - Wrong Shade	20		
Condition		30		. (
<b>FRONT</b> Grille/Shell	6 - Poor Quality Reproduction	10		10
Head & Parking Lights	8 - Sealed Beams Pre 1940 3 - ea. with Adjusting Tips	10		<0 ×
Front Fenders	5 - ea. Wrong Fender	10		
Hood, Cowl, W/S Frame & Hood Ornament	3 - Wrong W/S Finish 4 - Wrong Ornament	16		a De
Wiper Arms & Blades	1 - ea. Wrong Arm 1 - ea. Wrong Blade	4	Ć	- 00- ·
DOORS, QUARTER SID	DES & BACK			$\supset$
Doors, Quarter Sides** & Rear Fenders	5 - ea. Wrong Door, Rear Fender or Panel	30		$\nabla$
Door Latches, Strikers & Dovetails		6		$\langle \mathcal{O} \rangle$
Door Posts & Hinges		10		
Door & Trunk Handles	2 - ea. Wrong Handle (Max 8 Pts.)	10		<0Y
Running Board & Trim	6 - ea. with Wrong Material	15		
Trunk Lid *** & Back Panels	5 - Wrong Lid	9		
Tail Lights		6	Ć	
ROOF, TOP & GLASS Roof (Closed), Top (Open) & Trim	8 - Wrong Material 5 - Wrong Color	16	,	
Glass, Window Frames and/or Side Curtains	2 - ea. Wrong Pane (Black Edge) or No Trademark (10 Points Max.)	18		<u> </u>
MISCELLANEOUS Trim Mouldings &/or Stripes	18 -All Trim/Stripes Missing 5 - Wrong Trim/Color	18		SIL.
Outside Mirror(s)	1 - ea. Wrong One	3		
Fender Welt & Beading	3 - All Wrong Material/ Color	4	د	611
Fasteners	1 - Every 5 Wrong Fasteners	10	C	-0-
Added Accessories	2 - ea. Major Item, 1 - ea. Minor Item; Wrong or Not Working	10	`	$\sim$

\* Varnish on Wood Bodied vehicles

\*\* On Pick-ups, Judge Outer Bed

\*\*\* Includes Tailgate for Wagons & Pick-ups; Rear Door for Deliveries



# '32 – '48 Interior Judging Form The Early Ford V-8 Club of America

Registration # \_\_\_\_\_

ANICO .				
COMPONENT	Standard Deduction Points: Circle If Appropriate	Max. Deduct.	Points Deduct.	Reasons for Deduction & Remarks
DASH & FRONT	8 - Wrong Type Dash			
Dash, W/S Mouldings,	12 - Wrong Color			
Steering Tube, Glove	Dash & Mouldings	30		
Box & Rearview Mirror	-			
Instruments &	2 ea. Incorrect	15		
Clock	(Max. 10 Pts.)	0		
Knobs, Controls &	1 ea. Wrong Knob	8		
Trim Steering Wheel &	(Max. 5 Pts.)			/
Horn Button/Ring	3 - Wrong Wheel	5		
UNDERDASH & FLOO	AD			
Wiper Motor, Pedal				
Pads, Gear Shift	3 - Wrong Wiper Motor 1 ea. Wrong Item	6		
& Handbrake	(Max. 5 Pts.)	0		6.2
Underdash Detail,	2 - Wrong Insulator			
Wiring & Firewall	2 - Wrong Wire Insulation	10		
Floor Covering &	4 ea. Wrong Mat			$\rightarrow$
Sill Plates	1 ea. Wrong Sill Plate	16	1	
HEADLINER & SUNVI				Ŧ
Headliner or Pads,	5 - Wrong Color			
Irons & Bows *	8 - Wrong Material	30		
		5		210
Sunvisor(s) & Brackets	2 - Wrong Material	_		
SEATS	10 All Wrong Color			
Seats – Including	10 - All Wrong Color 10 - All Wrong Pattern			$\sim$
Rumble Seat & Floor	15 - All Wrong Material	37		
Attachments	15 - All wrong Wateria			
INTERIOR SIDES				
Door, Inside Quarter,	10 - All Wrong Color			
Kick Panels	10 - All Wrong Pattern	37		67 Y
Retainers & Windlace	15 - All Wrong Material		(-	
Inside Window Frames/	6 - All Wrong	10		
Garnish Mouldings	0 - All wrong	10		
Handles & Trim	2 - ea. Wrong Item	6		
Hardware	(Max 4. Pts)	6		
	LE COMPARTMENT/TAIL	GATE		
Trunk/R. Floor **		10		
Covering/Mat, Trunk	4 - Wrong Material			
Sides Panels, Inside	4 - Wrong Panel Material			
Of Lid/Tailgate ***				
MISCELLANEOUS				
Fasteners	1 - Every 5 Wrong	10		$\wedge$ $\vee$
Inda Tasta 0 D. 1	1 an Idam M	-		< U
Jack, Tools & Pouch	1 ea. Item Missing/Wrong	7		
Owner's Manual	3 - Missing/Wrong	3		
		5		
	2 - ea. Major Item, 1- ea.			N
Added Accessories	Minor Item; Wrong or Not	10		
	Working			
	TOTAL POINTS DEDU	CTED		
*	Wood Poof Interior for Wagon			

\* Wood Roof Interior for Wagons
\*\* Includes Rear Mat for Wagons, Rumble Floor Mat or Pick-up Floor
\*\*\* Includes Pick-up Bed Inner Sides & Wagon/Delivery Inside Rear Quarter Panels



### '32 – '48 Engine Judging Form The Early Ford V-8 Club of America

Registration # \_\_\_\_\_

COMPONENT	Standard Deduction Points: Circle If Appropriate	Max. Deduct.	Points Deduct.	Reasons for Deduction & Remarks
COOLING	10 - Wrong Radiator			
Radiator & Cap	2 - Wrong Cap	20		
Water Pumps, Inlets, Motor Mounts & Pulleys	4 - ea. Wrong Pump, Inlet or Pulley	20		
Hoses, Clamps, Belts(s) & Fan	<ul><li>4 - All Hoses Wrong</li><li>1 ea. Wrong Clamp</li><li>2 ea. Wrong Belt</li><li>3 - Wrong Fan</li></ul>	18		
FUEL Carburetor, Lines, Controls & Distributor Vacuum Line	<ul><li>4 - Wrong Carburetor</li><li>2 - Wrong Controls</li><li>1 ea. Wrong Line</li></ul>	10		
Air Cleaner	4 - Wrong	6	2	- 67 yr
Fuel Pump, Stand & Breather Cap	4 - Wrong Fuel Pump 2 - Wrong Cap or Stand	10	e	20
ELECTRICAL/IGNITION Distributor & Conduits	4 - Wrong Distributor 4 - Wrong Conduits	10		$\sim$
Coil	4 - Wrong	5		. (
Spark Plugs, Ignition Wires & Terminals	<ul><li>8 - All Wrong Plugs</li><li>4 - All Wrong Insulation</li><li>2 - Wrong Terminals</li></ul>	15		10
Generator	4 - Wrong	5		$\langle \rangle$
Voltage Regulator/Cut Out	4 - Wrong	5		
Starter	4 - Wrong	5		
Battery	10 - if not 6 Volt 7 - if not Script	10	,	6 1
Wiring	5 - Wrong Insulation	10	6	
Horn(s)	3 - All Wrong	4	C	
ENGINE			1	
Block	20 - Wrong Year/Type	25		N
Heads	4 - ea. Wrong Head	10		
Intake Manifold	4 - Wrong	6		
Exhaust Manifold	2 ea. Wrong	6		
Oil Pan	4 - Wrong Pan	5		
Oil Filter	4 - Wrong	4		
SHEETMETAL/MISCELL				
Firewall Detail & Weatherseal	1 per Extra Hole (Max 3 pts.) 2 - Wrong Seal Material	6		
Underhood, Inner Fender Panels & Splash Pans	1 per extra hole (Max 3 pts.) 3 - Missing Pan	15	Č	- Br
Hardware & Grommets	1 Every 5 Wrong	15		
Added Accessories	2 - ea. Major Item, 1 - ea. Minor Item; Wrong or Not Working	10		

#### TOTAL POINTS DEDUCTED



### '32 – '48 Chassis Judging Form The Early Ford V-8 Club of America

Registration # \_\_\_\_\_

COMPONENT	Standard Deduction Points: Circle If Appropriate	Max. Deduct.	Points Deduct.	Reasons for Deduction & Remarks
TIRES & WHEELS	1 ea. Wrong Size Tire	Deddett	Deddett	
Tires, Wheels,	1 ea. Wrong Size Wheel	20		
Spare & Mount	or Wheel Type	20		
Spare & Mount		15		
Uchanna Trim Dinas	6 - All Wrong Hubcaps	15		
Hubcaps, Trim Rings,	4 - All Wrong Rings			
Valve Stems & Caps	2 - All Wrong Stems			
	3 - All Wrong Valve Caps			
FRAME & UNDERBOI	DY			
Bumpers, Guards &	4 ea. Wrong Bumper	25		
Brackets	2 ea. Wrong Guard or Bracket	23		
Frame & Engine	5 - Excess Rust, Pits			
Steady Rods	and/or Cracks	14		
Underbody Sheetmetal	5 - Undercoat on Pre '46			
Floor Boards, Body	2 - Wrong Gas Line	30		
Pads, Gas Tank &	10 - Added Seams/Welds	50		
Gas Line	10 - Added Seams/ weids			)
	16 - Duals added			
Exhaust System	1 ea. Wrong Hanger Clamp	20		
(Except Manifolds)	4 - Wrong Muffler	-		
	2 - Wrong Insulation	5		
Wiring	2 - Tape Added			
_	-			
Shocks & Links	2 ea. Wrong Shock	15		$\sim$
or Brackets	1 ea. Wrong Link/Bracket	1.5		
FRONT END & STEER	ING			
	2 ea. Damaged Axle or	10		
Axle & Wishbones	Wishbone Arm			× Y
	4 - Wrong Steering Box	1	X	() Y
Steering	1 ea. Wrong Rod End	15		
		-		
Front Spring	6 - Wrong Spring/Cover	10		
Clamps & Cover	2 ea. Wrong Shackle or Stud	10		)
1	-			
TRANSMISSION & RE	AK AALL			
Transmission, Rear	4 - Wrong Transmission	11		
Engine Mount, Clutch	4 - Wrong Mount			
& Controls				
Rear Axle & Drive Shaft	2 ea. Bent Radius Rod	20		
& Radius Rods	2 - Excessive Rust	20		
Rear Spring,	6 - Wrong Spring/Cover	10		
Clamps & Cover	2 ea. Wrong Shackle or Stud			
BRAKES				
Backing Plates, Drums,		25		
Master Cylinder; Rods	20 - Hydraulics on Pre '39	25		
Cables, Lines &				X Y
Brackets				Y
MISCELLANEOUS			*	$(\mathcal{O}, \mathcal{V})$
Hardware & Lube	1 Every 5 Wrong	10		
Fittings				
1 1111150	2 an Major Itam 1 an			
	2 – ea. Major Item, 1 – ea.	10		)
Added Accessories	Minor Item; Wrong or Not	10		
	Working			
	TOTAL POINTS DEDUCTED			
Page 5 of 5				5/1/2018
				5/1/2018